



INSPECTION CERTIFICATE

Issued Date: 2022/02/07
Certificate No: SSP20220131

(yyyy/mm/dd)

Article: Stainless Steel Welded Pipe

Item No.	Size(MM)	Length (M)	Qty (PCS)	Net Weight (KG)	Type (Material Grade)	Strip finish	Heat No.	Annealed Temp min (°C)	Cooling method	Surface Finish	Hydrostatic Test (MPa)	ECT (mm)
1#	76.2x1.5	6	19	296.8	304	2B	CH23122120	No	No	600 Grit	No	No
2#	38.1x1.2	6	80	494.4	304	2B	CG26122108	No	No	600 Grit	No	No
3#	38.1x1.2	6	80	487.2	304	2B	BW10122105	No	No	600 Grit	No	No
4#	20x20x1.5	6	174	882.2	304	2B	CG28122111	No	No	600 Grit	No	No
5#	20x20x1.5	6	145	730.8	304	2B	CG26122112	No	No	600 Grit	No	No
6#	10x30x1.5	6	31	151.0	304	2B	CF04112104	No	No	600 Grit	No	No
7#	38.1x2.0	6	23	231.0	304	2B	AC27082103	No	No	600 Grit	No	No
8#	38.1x2.0	6	80	823.8	304	2B	AC27082111	No	No	600 Grit	No	No
9#	38.1x2.0	6	14	142.4	304	2B	AC27082103	No	No	600 Grit	No	No
11#	40x40x1.5	6	21	216.4	304	2B	BR22092119	No	No	600 Grit	No	No

Chemical Composition (%)

Mechanical Properties Test

304	C	Mn	P	S	Si	Cr	Ni	Mo	Cu	T.S (ksi)	Y.S. (ksi)	Elongation(%)	Flattening Test	Hardness (HRB)
MIN	-	-	-	-	-	18.0	8.0	-	-	≥ 70	Y.S. (ksi) ≥ 25	Wt (= 8T)	Test Height ≤ H	Test Evaluation
MAX	0.080	2.00	0.045	0.030	1.00	20.0	11.0	-	-	82	32	≥ 35	No	≤ 90
1#	0.045	0.73	0.039	0.003	0.29	18.0	8.1	-	-	79	30	38	No	85
2#	0.052	0.99	0.041	0.005	0.30	18.2	8.1	-	-	78	30	39	No	86
3#	0.051	1.04	0.027	0.001	0.46	18.3	8.0	-	-	82	32	40	No	87
4#	0.055	0.85	0.043	0.005	0.33	18.2	8.0	-	-	81	32	40	No	85
5#	0.055	0.73	0.044	0.003	0.32	18.2	8.0	-	-	83	33	40	No	85
6#	0.045	1.04	0.034	0.001	0.35	18.4	8.1	-	-	84	35	41	No	84
7#	0.054	0.78	0.036	0.002	0.34	18.2	8.0	-	-	84	36	40	No	85
8#	0.057	0.77	0.039	0.003	0.32	18.2	8.1	-	-	84	35	40	No	84
9#	0.054	0.78	0.036	0.002	0.34	18.2	8.0	-	-	83	31	40	No	85
11#	0.040	1.11	0.042	0.004	0.31	18.1	8.1	-	-	83	31	40	No	83

Remarks:

- * Dimensions & Visual: Good
- * Inspection Certificate is EN10204:2004 - 3.1 complied
- * Materials are mercury free and free from mercury contamination.

We, Son Ha SSP Vietnam Sole Member Company Limited, hereby certify that the products described herein manufactured in accordance with the standards and specifications specified as above and requirements as purchase order.

SONHA SSP VIETNAM SOLE MEMBER COMPANY LIMITED

Q.A. Department
(Signature and stamp)
Q.A.
DEPARTMENT

Control Code: SSP.QT.QC.03-BM.03

Issuance: 02 / 11 - 12 - 2021

INSPECTION CERTIFICATE

Issued Date: 2022/02/07
Certificate No: SSP20220131

(yyyy/mm/dd)



Article: Stainless Steel Welded Pipe							Heat No.	Annealed Temp min (°C)	Cooling method	Surface Finish	Hydrostatic Test (MPa)	ECT (mm)
Item No.	Size(MM)	Length (M)	Qty (PCS)	Net Weight (KG)	Type (Material Grade)	Strip finish						
12#	50.8x2.0	6	37	509.6	304	2B	CF16092102	No	No	600 Grit	No	No
13#	20x20x2.0	6	79	528.6	304	2B	AC27082106	No	No	Mill Finish	No	No
15#	40x2.0	6	44	471.6	304	2B	AC27082101	No	No	Mill Finish	No	No
16#	40x2.0	6	49	522.0	304	2B	AC27082101	No	No	Mill Finish	No	No
17#	40x2.0	6	44	472.6	304	2B	AC27082101	No	No	Mill Finish	No	No
18#	30x30x2.0	6	74	746.2	304	2B	AC27082101	No	No	Mill Finish	No	No
19#	40x40x1.5	6	15	155.0	304	2B	AC27082111	No	No	320 Grit	No	No
21#	40x40x3.0	6	6	120.0	304	2B	F06122105	No	No	320 Grit	No	No
45#	76.2x1.5	6	19	296.8	304	2B	BW06122104	No	No	320 Grit	No	No
46#	60.3x1.5	6	19	234.0	304	2B	CH23122120	No	No	600 Grit	No	No
							CG02122106	No	No	600 Grit	No	No

Chemical Composition (%)

Mechanical Properties Test

304	C	Mn	P	S	Si	Cr	Ni	Mo	Cu	T.S (ksi)	Y.S. Y.S.(ksi) ≥ 25	Wt (= 8T)	Elongation(%)	Flattening Test Test Height ≤ H	Test Evaluation	Hardness (HRB) ≤ 90
MIN	-	-	-	-	-	18.0	8.0	-	-	≥ 70	≥ 25	Wt	≥ 35	Test Height ≤ H	Test Evaluation	≤ 90
MAX	0.080	2.00	0.045	0.030	1.00	20.0	11.0	-	-	88	53		41	No	No	83
12#	0.046	1.03	0.035	0.001	0.39	18.3	8.2	-	-	88	48		41	No	No	83
13#	0.046	0.85	0.038	0.003	0.46	18.1	8.1	-	-	87	35		41	No	No	84
15#	0.057	0.79	0.036	0.005	0.32	18.2	8.1	-	-	87	35		41	No	No	84
16#	0.057	0.79	0.036	0.005	0.32	18.2	8.1	-	-	87	35		41	No	No	84
17#	0.057	0.79	0.036	0.005	0.32	18.2	8.1	-	-	85	37		40	No	No	85
18#	0.057	0.77	0.039	0.003	0.32	18.2	8.1	-	-	82	33		40	No	No	84
19#	0.020	1.39	0.020	0.000	0.41	17.1	10.2	-	-	94	54		43	No	No	83
21#	0.047	1.00	0.031	0.002	0.38	18.2	8.0	-	-	82	32		40	No	No	85
45#	0.045	0.73	0.039	0.003	0.29	18.0	8.1	-	-	82	32		40	No	No	85
46#	0.068	0.82	0.037	0.004	0.33	18.2	8.0	-	-	82	32		40	No	No	84

Remarks:

- * Dimensions & Visual: Good
- * Inspection Certificate is EN10204:2004 - 3.1 complied
- * Materials are mercury free and free from mercury contamination.

We, Son Ha SSP Vietnam Sole Member Company Limited, hereby certify that the products described herein manufactured in accordance with the standards and specifications specified as above and requirements as purchase order.

SONHA SSP VIETNAM SOLE MEMBER COMPANY LIMITED

Q.A. Department

(Signature and stamp)

Q.A. DEPARTMENT

Control Code: SSP.QT.QC.03-BM.03

Issuance: 02 / 11 - 12 - 2021

Order No.: SSP-MS18102021KT-F

Issued Date: 2022/02/07
Certificate No: SSP20220131

Issued Date: 2022/02/07 (yyyy/mm/dd)

Article: Stainless Steel Welded Pipe

[illegible]

Remarks:

- * Dimensions & Visual: Good
- * Inspection Certificate is EN10204:2004 - 3.1 complied
- * Materials are mercury free and free from mercury contamination.

We, Son Ha SSP Vietnam Sole Member Company Limited, hereby certify that the products described herein manufactured in accordance with the standards and specifications specified as above and requirements as purchase order.

SONHA SSP VIETNAM SOLE MEMBER COMPANY LIMITED

Q.A. Department
(Signature and stamp)

(Signature and stamp)

Control Code: SSP.QT.QC.03-BM.03

Issuance: 02 / 11 - 12 - 2021

INSPECTION CERTIFICATE


 Issued Date: 2022/02/07
 Certificate No: SSP20220131

(yyyy/mm/dd)

Article: Stainless Steel Welded Pipe

Item No.	Size(MM)	Length (M)	Qty (PCS)	Net Weight (KG)	Type (Material Grade)	Strip finish	Heat No.	Annealed Temp min (°C)	Cooling method	Surface Finish	Hydrostatic Test (MPa)	ECT (mm)
10#	25x50x2.0	6	60	767.8	201	2B	AC17082107	No	No	320 Grit	No	No
14#	25x50x2.0	6	60	764.8	201	2B	AC17082107	No	No	320 Grit	No	No
20#	20x20x2.0	6	150	977.0	201	2B	AC17082110	No	No	320 Grit	No	No
22#	25x25x2.0	6	100	838.2	201	2B	AC17082107	No	No	320 Grit	No	No
23#	25x25x2.0	6	97	816.8	201	2B	BR15122104	No	No	320 Grit	No	No
24#	25x25x2.0	6	91	758.4	201	2B	AC17082107	No	No	600 Grit	No	No
25#	25x50x2.0	6	43	550.8	201	2B	AC17082110	No	No	320 Grit	No	No
26#	40x40x2.0	6	42	568.8	201	2B	AC17082110	No	No	320 Grit	No	No
27#	40x40x2.0	6	42	565.6	201	2B	AC17082107	No	No	320 Grit	No	No
28#	40x40x2.0	6	42	568.6	201	2B	AC17082107	No	No	320 Grit	No	No

Chemical Composition (%)

	C	Mn	P	S	Si	Cr	Ni	Mo	Cu
201	-	-	-	-	-	13.0	0.7	-	0.5
MIN	-	-	-	-	-	-	-	-	-
MAX	0.150	11.15	0.09	0.030	1.00	-	-	-	-
10#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7
14#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7
20#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6
22#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7
23#	0.120	8.93	0.059	0.001	0.41	14.3	1.2	-	0.6
24#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7
25#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6
26#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6
27#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7
28#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7

Mechanical Properties Test

	T.S (ksi)	Y.S. (ksi)	Wt	Elongation(%)	Flattening Test	Hardness (HRB)
	≥ 75	Y.S. (ksi) ≥ 30	Wt (= 8T)	≥ 20	Test Height ≤ H	Test Evaluation
10#	86	36		40	No	No
14#	86	36		40	No	No
20#	87	37		41	No	No
22#	86	37		41	No	No
23#	85	37		40	No	No
24#	86	37		41	No	No
25#	86	37		40	No	No
26#	87	36		40	No	No
27#	86	37		41	No	No
28#	86	37		41	No	No

Remarks:

- * Dimensions & Visual: Good
- * Inspection Certificate is EN10204:2004 - 3.1 complied
- * Materials are mercury free and free from mercury contamination.

We, Son Ha SSP Vietnam Sole Member Company Limited, hereby certify that the products described herein manufactured in accordance with the standards and specifications specified as above and requirements as purchase order.

SONHA SSP VIETNAM SOLE MEMBER COMPANY LIMITED

Q.A. Department
(Signature and stamp)
Q.A. DEPARTMENT

Control Code: SSP.QT.QC.03-BM.03

Issuance: 02 / 11 - 12 - 2021

INSPECTION CERTIFICATE

Issued Date: 2022/02/07
Certificate No: SSP20220131

(yyyy/mm/dd)



Article: Stainless Steel Welded Pipe

Item No.	Size(MM)	Length (M)	Qty (PCS)	Net Weight (KG)	Type (Material Grade)	Strip finish	Heat No.	Annealed Temp min (°C)	Cooling method	Surface Finish	Hydrostatic Test (MPa)	ECT (mm)
29#	40x40x2.0	6	42	567.4	201	2B	AC17082107	No	No	320 Grit	No	No
30#	40x40x2.0	6	42	567.6	201	2B	AC17082107	No	No	320 Grit	No	No
31#	40x40x2.0	6	42	572.6	201	2B	AC17082107	No	No	320 Grit	No	No
32#	40x40x2.0	6	19	258.6	201	2B	AC17082107	No	No	320 Grit	No	No
33#	40x40x2.0	6	42	569.6	201	2B	AC17082107	No	No	320 Grit	No	No
34#	40x40x2.0	6	42	571.6	201	2B	AC17082110	No	No	320 Grit	No	No
35#	40x40x2.0	6	42	570.6	201	2B	AC17082110	No	No	320 Grit	No	No
36#	40x40x2.0	6	42	569.8	201	2B	AC17082110	No	No	320 Grit	No	No
37#	40x40x2.0	6	42	572.6	201	2B	AC17082110	No	No	320 Grit	No	No
38#	40x40x2.0	6	42	574.0	201	2B	AC17082110	No	No	320 Grit	No	No

Chemical Composition (%)

201	C	Mn	P	S	Si	Cr	Ni	Mo	Cu	T.S (ksi)	Y.S.	Elongation(%)	Flattening Test	Hardness (HRB)
MIN	-	-	-	-	-	13.0	0.7	-	0.5	≥ 75	Y.S.(ksi) ≥ 30	Wt (= 8T)	Test Height ≤ H	Test Evaluation
MAX	0.150	11.15	0.09	0.030	1.00	-	-	-	-	86	37	41	No	No
29#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7	86	37	41	No	No
30#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7	86	37	41	No	No
31#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7	86	37	41	No	No
32#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7	86	37	41	No	No
33#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7	86	37	41	No	No
34#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6	87	36	40	No	No
35#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6	87	36	40	No	No
36#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6	87	36	40	No	No
37#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6	87	36	40	No	No
38#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6	87	36	40	No	No

Remarks:

- * Dimensions & Visual: Good
- * Inspection Certificate is EN10204:2004 - 3.1 complied
- * Materials are mercury free and free from mercury contamination.

We, Son Ha SSP Vietnam Sole Member Company Limited, hereby certify that the products described herein manufactured in accordance with the standards and specifications specified as above and requirements as purchase order.

SONHA SSP VIETNAM SOLE MEMBER COMPANY LIMITED

Q.A. Department
(Signature and stamp)
Q.A.
DEPARTMENT

Control Code: SSP.QT.QC.03-BM.03

Issuance: 02 / 11 - 12 - 2021

INSPECTION CERTIFICATE

Issued Date: 2022/02/07

(yyyy/mm/dd)

Certificate No: SSP20220131

Article: Stainless Steel Welded Pipe

Item No.	Size(MM)	Length (M)	Qty (PCS)	Net Weight (KG)	Type (Material Grade)	Strip finish	Heat No.	Annealed Temp min (°C)	Cooling method	Surface Finish	Hydrostatic Test (MPa)	ECT (mm)
39#	40x40x2.0	6	36	491.2	201	2B	AC17082110	No	No	320 Grit	No	No
40#	40x40x2.0	6	42	569.8	201	2B	AC17082110	No	No	320 Grit	No	No
41#	40x40x2.0	6	42	568.4	201	2B	AC17082107	No	No	320 Grit	No	No
42#	25x50x2.0	6	60	761.8	201	2B	AC17082107	No	No	320 Grit	No	No
43#	25x50x2.0	6	60	767.0	201	2B	AC17082110	No	No	320 Grit	No	No
44#	25x50x2.0	6	65	832.4	201	2B	AC17082110	No	No	320 Grit	No	No

Chemical Composition (%)

Mechanical Properties Test

201	C	Mn	P	S	Si	Cr	Ni	Mo	Cu	T.S (ksi)	Y.S. (ksi)	Elongation(%)	Flattening Test	Hardness (HRB)
MIN	-	-	-	-	-	13.0	0.7	-	0.5	≥ 75	Y.S. (ksi) ≥ 30	Wt (= 8T) ≥ 20	Test Height ≤ H	Test Evaluation ≤ 94
MAX	0.150	11.15	0.09	0.030	1.00	-	-	-	-	87	36	40	No	84
39#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6	87	36	40	No	84
40#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6	86	37	41	No	85
41#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7	86	36	40	No	84
42#	0.117	8.48	0.072	0.003	0.38	14.3	1.3	-	0.7	86	38	40	No	85
43#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6	86	38	40	No	85
44#	0.134	9.04	0.079	0.002	0.44	14.5	1.2	-	0.6	86	38	40	No	85

Remarks:

- * Dimensions & Visual: Good
- * Inspection Certificate is EN10204:2004 - 3.1 complied
- * Materials are mercury free and free from mercury contamination.

We, Son Ha SSP Vietnam Sole Member Company Limited, hereby certify that the products described herein manufactured in accordance with the standards and specifications specified as above and requirements as purchase order.

SONHA SSP VIETNAM SOLE MEMBER COMPANY LIMITED

Q.A. Department

(Signature and stamp)



Control Code: SSP.QT.QC.03-BM.03

Issuance: 02 / 11 - 12 - 2021



佛山市广上不锈钢有限公司
FOSHAN VINMAY STAINLESS STEEL
CO.,LTD

材质报告
MILL TEST CERTIFICATE

ADD:NO.6 JINGANG RD. BAINI TOWN SANSHUI DISTRICT FOSHAN
CITY 528131 GUANGDONG PROVINCE, CHINA
TEL: 0086-757-8543 6752 FAX: 0086-757-8543 6755



客户名称

CUSTOMER:JSC METALSERVIS

产品名称

PRODUCTION : STAINLESS STEEL TIG WELDED TUBES

规格名称

SPECIFICATION:ASTM A554

钢种

STEEL GRADE:304/201

状态

STATE:WELDED

证明书号码

CERTIFICATE NO.VM20221010-6202

证明书日期

DATE OF ISSUE:2022-10-10

合同号码

PI NO:VINSSC0220708-MCR58

客户采购案号

PO NO.:Приложение 58 от 08.07.2022.

商业发票号码

COMMERCIAL NO.:20221010MCR58-5

项目 ITEM NO.	炉号 HEAT NO	产品规格 PRODUCT DESCRIPTION					化学成分 CHEMICAL COMPOSITION(%)								物理性能 MECHANICAL TEST				
		尺寸 DIMENSION	数量 QUANTITY (PCS)	重量 WEIGHT (KGS)	表面 FINISH	长度 LENGTH (MM)	材质 GRADE	碳 C	硅 SI	锰 MN	磷 P	硫 S	镍 NI	铬 CR	铜 CU	屈服 Y.S(Rp)0.2 %N/m m²	抗拉 T.S(Rm)N /m m²	延伸率 Elongation (%)	硬度 Hardness
CONTAINER NO: C1CU3749771/321806																			
1	TS304058150	10*1.5	617	1050	320	6000	304	≤0.08	≤1.00	≤2.00	≤0.045	≤0.03	8.0-10.5	18.0-20.0	/	≥205	≥515	≥30	≤185
2	TS304058150	14*1.5	142	372	600	6000	304	0.049	0.355	0.941	0.0341	0.0031	8.022	18.151	/	525	768	48	177
3	TS304058200	21.3*2.0	5	27	320	6000	304	0.049	0.355	0.941	0.0341	0.0031	8.022	18.151	/	525	768	48	177
4	TS304058250	25*2.5	230	1789	600	6000	304	0.051	0.357	0.943	0.0343	0.0033	8.024	18.153	/	526	769	49	178
5	TS304058250	57*2.5	9	169	MF	6000	304	0.052	0.358	0.944	0.0344	0.0034	8.025	18.154	/	527	770	50	179
6	TS304058300	219.1*3.0	108	9712	MF	6000	304	0.052	0.359	0.944	0.0344	0.0034	8.025	18.154	/	527	770	50	179
7	TS304058250	40*40*2.5	23	378	320	6000	304	0.053	0.359	0.945	0.0345	0.0035	8.026	18.155	/	528	771	51	180
8	TS304058400	80*80*4.0	45	2438	MF	6000	304	0.052	0.358	0.944	0.0344	0.0034	8.025	18.154	/	527	770	50	179
9	TS304058500	80*80*5.0	38	2436	MF	6000	304	0.055	0.361	0.947	0.0347	0.0037	8.028	18.157	/	529	772	52	181
10	TS304058400	120*120*4.0	41	3414	320	6000	304	0.057	0.363	0.949	0.0349	0.0039	8.031	18.159	/	530	773	53	182
								≤0.12	≤1.00	8.5-11	≤0.06	≤0.03	0.8-1.5	13.0-15.0	≥0.6	≥275	≥580	≥15	≥240
11	TS201058200	60*60*2.0	92	1533	320	6000	201	0.098	0.483	10.221	0.0355	0.0031	1.173	13.653	0.617	611	851	20	223

DOCUMENTS-MAKER:KENNY

CHECKER:

FACTORY STAMP:



Handwritten signature



佛山市广上不锈钢有限公司

FOSHAN VINMAY STAINLESS STEEL CO.,LTD

材质报告

MILL TEST CERTIFICATE

客户名称

CUSTOMER:JSC METALLSERVIS

产品名称

PRODUCTION : STAINLESS STEEL TIG WELDED TUBES

规格名称

SPECIFICATION:EN 10217-7

钢种

STEEL GRADE:304/201

状态

STATE:WELDED, NON-ANNEALED, HEIGHT OF WELD SEAM MAXIMUM 0.3MM

ADD NO.6 JINGANG RD.,BAINI TOWN SANSHUI DISTRICT FOSHAN
CITY 528131 GUANGDONG PROVINCE, CHINA
TEL: 0086-757-8543 6752 FAX: 0086-757-8543 6755

证明书号码

CERTIFICATE NO.VM20221010-6203

证明日期

DATE OF ISSUE:2022-10-10

合同号码

PI NO:VINSSCO220708-MCR58

客户采购案号

PO NO.:Приложение 58 от 08.07.2022.

商业发票号码

COMMERCIAL NO.:20221010/MCR58-5

项目 ITEM NO.	炉号 HEAT NO	产品规格 PRODUCT DESCRIPTION				化学成分 CHEMICAL COMPOSITION(%)										物理性能 MECHANICAL TEST			
		尺寸 DIMENSION	数量 QUANTITY (PCS)	重量 WEIGHT (KGS)	表面 FINISH	长度 LENGTH (MM)	材质 GRADE	C	Si	Mn	P	S	NI	CR	铜 CU	屈服 Y.S(Rp)0.2% N/mm ²	抗拉 T.S(Rm) N/mm ²	延伸率 Elongation (%)	硬度 Hardness
CONTAINER NO/SEAL NO.:CICU3749771/321806																			
12	TS304058150	20*1.5	136	525	600	6000	304	0.049	0.355	0.941	0.0341	0.0031	8.022	18.151	/	≥205	≥515	≥30	≤185
13	TS201058100	18*1.0	502	1178	600	6000	201	0.085	0.467	10.214	0.0349	0.0024	1.167	13.647	0.612	≥275	≥580	≥15	≤240
总 计 TOTAL																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			
17																			

注解 NOTE:


1. 请证明本表所列产品, 均依材料规格制造及测试, 并符合规定之要求。
We hereby certify that material described herein has been manufactured and tested with satisfactory results in accordance with the requirement of the above material specification.
2. 本产品经检验无缺陷污染。
We hereby certify that the material described above has been detected with free irradiation.
3. 检查测量准确; 满意
Inspection and gauge measurement Satisfactory
4. 本报告不得局部复制
The report can only be reproduced in full.

浩欧
波阳

DOCUMENTS-MAKER:KENNY

CHECKER:

Sady



FACTORY STAMP:

CERTIFICATE NO:
PURCHASER:

OSS-MTC/23XOMR006-6
JSC "METALLSERVIS"

MILL TEST CERTIFICATES

ISSUE DATE:

09 AUG. 2022

Legal address: 109428, Russian Federation, Moscow, Sahanovskaya ul., 19

DESCRIPTION OF GOODS:
SPECIFICATION

STAINLESS STEEL WELDED TUBE
ASTM A554
TEST REF. NO:

QC-OSS/23XOMR006-6

CHEMICAL COMPOSITION														MECHANICAL TEST				
No	Grade	Length (MM)	SIZE (MM)	Thickness (mm)	Qty (METER)	Finish (GRIT)	C (%)	Mn (%)	S (%)	P (%)	SI (%)	NI (%)	Cr (%)	CU (%)	T.S (Mpa)	Y.S (Mpa)	Elongation (%)	Hardness (HV)
1	201	6000	20 40	1	1092	LHL G320	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
2	201	6000	20 40	1.5	948	G600	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
3	201	6000	20 40	1.5	1104	LHL G320	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
4	201	6000	30 60	1.5	282	LHL G320	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
5	201	6000	40 60	1.5	174	LHL G320	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
6	201	6000	20	1	2106	G600	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
7	201	6000	32	1.5	1062	NS	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
8	201	6000	38	1.2	3564	G600	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
9	201	6000	40	1.5	222	G600	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
10	201	6000	42.4	1.5	216	G600	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
11	201	6000	50.8	1.2	1200	G600	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
12	201	6000	15 15	1	1272	G600	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
13	201	6000	20 20	1	2568	LHL G320	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
14	201	6000	20 20	1.2	1056	LHL G320	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
15	201	6000	25 25	1.5	504	G600	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
16	201	6000	30 30	1	3564	LHL G320	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
17	201	6000	40 40	1.2	342	LHL G320	0.089	10.580	0.015	0.040	0.420	1.00	12.90	1.18	808	421	45	214
18	304	6000	16	1	1008	G600	0.060	1.080	0.008	0.036	0.510	8.15	18.40	0.063	550	300	33	180
19	304	6000	16	1.5	966	HL G320	0.060	1.080	0.008	0.036	0.510	8.15	18.40	0.063	550	300	33	180
20	304	6000	25	1.5	618	HL G320	0.060	1.080	0.008	0.036	0.510	8.15	18.40	0.063	550	300	33	180
21	304	6000	38	1.5	3732	G600	0.060	1.080	0.008	0.036	0.510	8.15	18.40	0.063	550	300	33	180

This is hereby certified that the material has been produced and conforms to specification stated above
OSS DAIDUONG INTERNATIONAL JOINT STOCK COMPANY



TP.KD.Xuất Nhập Khẩu
Phân Quốc Thanh

